

Network Camera

Hikvision USA Price List January 13, 2012

Model	Image Sensor	Resolution	Frame Rate	Min. Illumination /IR Range	Lens	Day & Night	BLC/WDR	SD Card	Power/PoE	MSRP
DS-2CD883F-E <small>Indoor</small>	1/2.5" Progressive Scan CMOS	5.0MP CMOS (2560x1920)	Up to 7fps	0.6Lux/F1.2 (Color) 0.08Lux/F1.2 (B&W)	—	ICR	BLC	Up to 32GB	12VDC/PoE, 8W Max.	\$1,818
DS-2CD854F-E <small>Indoor</small>	1/2.5" Progressive Scan CMOS	3.0MP CMOS (2048x1536)	Up to 15fps	0.6Lux/F1.2 (Color) 0.08Lux/F1.2 (B&W)	—	ICR	BLC	Up to 32GB	12VDC/PoE, 8.5W Max.	\$1,507
DS-2CD876BF <small>Indoor</small>	1/1.8" Sony Progressive Scan CCD	2.0MP (1600x1200)	Up to 25fps	0.5Lux/F1.2 (Color) 0.05Lux/F1.2 (B&W) 13W Max.	—	ICR	BLC	Up to 32GB	12VDC 13W Max.	\$3,142
DS-2CD863NF-E <small>Indoor</small>	1/3" Sony Progressive Scan CCD	720P HD 1.3MP (1280x720)	Up to 30fps	0.1Lux/F1.2 (Color) 0.01Lux/F1.2 (B&W)	—	ICR	BLC	Up to 32GB	12VDC/PoE, 12.5W Max.	\$1,240
DS-2CD853F-E <small>Indoor</small>	1/3" Progressive Scan CMOS	2.0MP CMOS (1600x1200)	Up to 15fps	0.5Lux/F1.2 (Color) 0.05Lux/F1.2 (B&W)	—	ICR	BLC	Up to 32GB	12VDC/PoE, 7.5W Max.	\$978
DS-2CD893NFW-D-E <small>Indoor</small>	1/3" Sony Vertical Double Density Interface CCD	4CIF (704x480)		0.1Lux/F1.2 (Color) 0.01Lux/F1.2 (B&W)	—	ICR	BLC/ 160X WDR	Up to 32GB	12VDC/PoE, 8.5W Max.	\$929
DS-2CD783F-E <small>(Vandal Resistant)</small> <small>Indoor</small>	1/2.5" Progressive Scan CMOS	5.0 MP (2560x1920)	Up to 7fps	0.6Lux/F1.2 (Color) 0.08Lux/F1.2 (B&W)	4.5-10mm	Electronic	BLC	Up to 32GB	12VDC/PoE, 5.5W Max.	\$2,218
DS-2CD754F-E <small>(Vandal Resistant)</small> <small>Indoor</small>	1/2.5" Progressive Scan CMOS	3.0 MP (2048x1536)	Up to 15fps	0.6Lux/F1.2 (Color) 0.08Lux/F1.2 (B&W)	2.7-9mm	Electronic	BLC	Up to 32GB	12VDC/PoE, 5.5W Max.	\$1,596
DS-2CD754F-EI <small>(Vandal Resistant)</small> <small>Indoor</small>	1/2.5" Progressive Scan CMOS	3.0 MP (2048x1536)	Up to 15fps	0.6Lux/F1.2 0Lux with IR IR: 30-60 Feet	2.7-9mm	ICR	BLC	Up to 32GB	12VDC/PoE, 7.5W Max.	\$1,996
DS-2CD754FWD-E <small>(Vandal Resistant)</small> <small>Indoor</small>	1/3" Progressive Scan CMOS	1080P HD 2.0 MP (1920x1080)	Up to 30fps	0.1Lux/F1.2 (Color) 0.01Lux/F1.2 (B&W)	2.7-9mm	Electronic	BLC/ 120DB WDR	Up to 32GB	12VDC/PoE, 5.5W Max.	\$1,418
DS-2CD754FWD-EI <small>(Vandal Resistant)</small> <small>Indoor</small>	1/3" Progressive Scan CMOS	1080P HD 2.0 MP (1920x1080)	Up to 30fps	0.1Lux/F1.2 0Lux with IR IR: 30-60 Feet	2.7-9mm	ICR	BLC/ 120DB WDR	Up to 32GB	12VDC/PoE, 7.5W Max.	\$1,640
DS-2CD753F-E <small>(Vandal Resistant)</small> <small>Indoor</small>	1/3" Progressive Scan CMOS	2.0 MP (1600x1200)	Up to 15fps	0.5Lux/F1.2 (Color) 0.05Lux/F1.2 (B&W)	2.7-9mm	Electronic	BLC	Up to 32GB	12VDC/PoE, 4.5W Max.	\$973
DS-2CD753F-EI <small>(Vandal Resistant)</small> <small>Indoor</small>	1/3" Progressive Scan CMOS	2.0 MP (1600x1200)	Up to 15fps	0.5Lux/F1.2 0Lux with IR IR: 30-60 Feet	2.7-9mm	ICR	BLC	Up to 32GB	12VDC/PoE, 6.5W Max.	\$1,196
DS-2CD763NF-E <small>(Vandal Resistant)</small> <small>Indoor</small>	1/3" Sony Progressive Scan CCD	720P HD 1.3 MP (1280x720)	Up to 30fps	0.1Lux/F1.2 (Color) 0.01Lux/F1.2 (B&W)	2.7-9mm	Electronic	BLC	Up to 32GB	12VDC/PoE, 7.5W Max.	\$1,329
DS-2CD763NF-EI <small>(Vandal Resistant)</small> <small>Indoor</small>	1/3" Sony Progressive Scan CCD	720P HD 1.3 MP (1280x720)	Up to 30fps	0.1Lux/F1.2 0Lux with IR IR: 30-60 Feet	2.7-9mm	ICR	BLC	Up to 32GB	12VDC/PoE, 9.5W Max.	\$1,684
DS-2CD762MF-FB <small>(Vandal Resistant)</small> <small>Indoor</small>	1/3" Sony Progressive Scan CCD	1.3 MP (1280x960)	Up to 15fps	0.1Lux/F1.2 (Color) 0.01Lux/F1.2 (B&W)	2.7-9mm	Electronic	BLC	Up to 32GB	24VAC/12VDC/PoE, 6W Max.	\$1,471
DS-2CD762MF-IFB <small>(Vandal Resistant)</small> <small>Indoor</small>	1/3" Sony Progressive Scan CCD	1.3 MP (1280x960)	Up to 15fps	0.1Lux/F1.2 0Lux with IR IR: 30-60 Feet	2.7-9mm	ICR	BLC	Up to 32GB	24VAC/12VDC/PoE, 8W Max.	\$1,551
DS-2CD762MF-IFBH <small>(Vandal Resistant)</small> <small>Outdoor</small>	1/3" Sony Progressive Scan CCD	1.3 MP (1280x960)	Up to 15fps	0.1Lux/F1.2 0Lux with IR IR: 30-60 Feet	2.7-9mm	ICR	BLC	Up to 32GB	24VAC/18W Max with Heater On	\$1,551

Network Camera

Hikvision USA Price List January 13, 2012

















Model	Image	Resolution	Frame Rate	Min. Illumination /IR Range	Lens	Day & Night	BLC/WDR	SD Card	Power/PoE	MSRP	
DS-2CD752MF-FB (Vandal Resistant)		1/3" Progressive Scan CMOS	2.0 MP	Up to 10fps	0.5Lux/F1.2 (Color) 0.05Lux/F1.2 (B&W)	2.7-9mm	Electronic	BLC	Up to 32GB	24VAC/12VDC/PoE, 3.5W Max.	\$1,244
DS-2CD752MF-IFB (Vandal Resistant)		1/3" Progressive Scan CMOS	2.0 MP	Up to 10fps	0.5Lux/F1.2 0Lux with IR IR: 30-60 Feet	2.7-9mm	ICR	BLC	Up to 32GB	24VAC/12VDC/PoE, 5.5W Max.	\$1,324
DS-2CD752MF-IFBH (Vandal Resistant)		1/3" Progressive Scan CMOS	2.0 MP	Up to 10fps	0.5Lux/F1.2 0Lux with IR IR: 30-60 Feet	2.7-9mm	ICR	BLC	Up to 32GB	24VAC/15.5W Max. with Heater On	\$1,324
DS-2CD793NFWD-E (Vandal Resistant)		1/3" Sony Vertical Double Density Interlace CCD	4CIF	Up to 30fps	0.1Lux/F1.2 (Color) 0.01Lux/F1.2 (B&W)	2.8-11mm	Electronic	BLC/ 160X WDR	Up to 32GB	12VDC/PoE, 5.5W Max.	\$973
DS-2CD793NFWD-EI (Vandal Resistant)		1/3" Sony Vertical Double Density Interlace CCD	4CIF	Up to 30fps	0.1Lux/F1.2 0Lux with IR IR: 30-60 Feet	2.8-11mm	ICR	BLC/ 160X WDR	Up to 32GB	12VDC/PoE, 7.5W Max.	\$1,196
DS-2CD7153-E (Vandal Resistant)		1/3" Progressive Scan CMOS	2.0 MP	Up to 15fps	0.5Lux/F1.2 (Color) 0.1Lux/F1.2 (B&W)	4mm	Electronic	BLC	No	12VDC/PoE, 4W Max.	\$929
DS-2CD7133-E (Vandal Resistant)		1/4" Progressive Scan CMOS	VGA	Up to 30fps	0.01Lux/F1.2 (Color) 0.001Lux/F1.2 (B&W)	4mm	Electronic	BLC	No	12VDC/PoE, 4W Max.	\$529
DS-2CD892N-IR1 (Vandal Resistant)		1/3" Sony CCD	4CIF (704x480)	Up to 30fps	0.1Lux/F1.2 0Lux with IR IR: 30 Feet	3.6mm	Electronic	BLC	No	12VDC, 15.5W Max.	\$884
DS-2CD892N-IR3 (Vandal Resistant)		1/3" Sony CCD	4CIF (704x480)	Up to 30fps	0.1Lux/F1.2 0Lux with IR IR: 100 Feet	3.6mm	Electronic	BLC	No	12VDC, 7W Max.	\$1,062
DS-2CD8254F-EIS (Vandal Resistant)		1/2.5" Progressive Scan CMOS	3.0MP CMOS (2048x1536)	Up to 15fps	0.6Lux/F1.2 0.1Lux with IR IR: 60-90 Feet	2.7-9mm	ICR	BLC	No	12VDC/PoE, 9.5W Max.	\$1,729
DS-2CD8253F-EIS (Vandal Resistant)		1/3" Progressive Scan CMOS	2.0MP CMOS (1600x1200)	Up to 15fps	0.5Lux/F1.2 0Lux with IR IR: 60-90 Feet	2.7-9mm	ICR	BLC	No	12VDC/PoE, 8.5W Max.	\$1,418

Analog Camera

Model	Image Sensor	Adj. Range	Resolution	Min Illumination / IR Range	Lens	OSD Menu	Day & Night	BLC/WDR	Sync.	Power	MSRP		
DS-2CC192N-A		Indoor	1/3" Sony Super HAD CCD	—	540TVL	0.1Lux/F1.2 (Color) 0.01Lux/F1.2 (B&W)	—	No	Electronic	BLC	Internal	12VDC/24VAC 3.5W Max.	\$267
DS-2CC195N-A		Indoor	1/3" Sony Super HAD CCD	—	540TVL	0.02Lux/F1.2 (Color) 0.002Lux/F1.2 (B&W)	—	Yes	ICR	BLC	Internal	12VDC/24VAC 10W Max.	\$707
DS-2CZ252N		Indoor	1/4" Sony Interline Transfer Super HAD CCD	—	540TVL (Color) 600TVL (B&W)	0.2Lux/F1.6 (Color) 0.02Lux/F1.6 (B&W)	3.84-88.4mm 23x optical zoom	Yes	ICR	BLC	Internal	12VDC 4.5W Max.	\$671
DS-2CC5102N		Indoor	1/3" Sony Super HAD CCD II	3-AXIS	420TVL	0.1Lux/F1.2 (Color) 0.01Lux/F1.2 (B&W)	3.6mm	No	Electronic	BLC	Internal	12VDC 2W Max.	\$173
DS-2CC5172N		Indoor	1/3" Sony Super HAD CCD II	3-AXIS	540TVL	0.1Lux/F1.2 (Color) 0.01Lux/F1.2 (B&W)	3.6mm	No	Electronic	BLC	Internal	12VDC 2W Max.	\$227
DS-2CC5173N-VP (Vandal Resistant)		Outdoor	1/3" Sony Super HAD CCD II	3-AXIS	560TVL	0.1Lux/F1.2 (Color) 0.01Lux/F1.2 (B&W)	2.8-12mm	Yes	ICR	BLC/DWDR	Internal / Power	12VDC/24VAC 4W Max.	\$489






Analog Camera

Hikvision USA Price List January 13, 2012

Model	Image Sensor	Adj. Range	Resolution	Min Illumination / IR Range	Lens	OSD Menu	Day & Night	BLC/DWDR	Sync.	Power	MSRP	
DS-2CC5173N-VPIR (Vandal Resistant)	 Outdoor	1/3" Sony Super HAD CCD II	3-AXIS	560TVL	0.1Lux/F1.2 (Color) 0Lux with IR IR: 60-90 Feet	2.8-12mm	Yes	ICR	BLC/DWDR	Internal / Power	12VDC/24VAC 12W Max.	\$516
DS-2CC5173N-VPIRH (Vandal Resistant)	 Outdoor	1/3" Sony Super HAD CCD II	3-AXIS	560TVL	0.1Lux/F1.2 (Color) 0Lux with IR IR: 60-90 Feet	2.8-12mm	Yes	ICR	BLC/DWDR	Internal / Power	24VAC 24W Max. with Heater On	\$569
DS-2CC5173N-VF	 Indoor	1/3" Sony Super HAD CCD II	3-AXIS	560TVL	0.1Lux/F1.2 (Color) 0.01Lux/F1.2 (B&W)	2.8-12mm	Yes	ICR	BLC/DWDR	Internal / Power	12VDC/24VAC 4.5W Max.	\$350
DS-2CC591N-A	 Indoor	1/3" Sony Super HAD CCD	Pan 355° Tilt 80°	540TVL	0.1Lux/F1.2 (Color) 0.01Lux/F1.2 (B&W)	2.8-11mm	No	Electronic	BLC	Internal / Power	12VDC/24VAC 3.5W Max.	\$396
DS-2CC577N-A	 Indoor	1/3" Sony Vertical Double Density Interline CCD	3-AXIS	540TVL	0.1Lux/F1.2 (Color) 0.01Lux/F1.2 (B&W)	2.8-11mm	Yes	ICR	BLC/ 160X WDR	Internal / Power	12VDC/24VAC 10W Max.	\$840
DS-2CC592N-FB (Vandal Resistant)	 Indoor	1/3" Sony Super HAD CCD	Pan 355° Tilt 80°	540TVL	0.1Lux/F1.2 (Color) 0.01Lux/F1.2 (B&W)	4-9mm	No	Electronic	BLC	Internal	12VDC 2W Max.	\$284
DS-2CC592N	 Indoor	1/3" Sony Super HAD CCD	Pan 120° Tilt 75°	540TVL	0.1Lux/F1.2 (Color) 0.01Lux/F1.2 (B&W)	3.6mm	No	Electronic	BLC	Internal	12VDC 2W Max.	\$213
DS-2CC532N	 Indoor	1/4" CMOS	Pan 120° Tilt 90°	480TVL	0.5Lux/F1.2 (Color) 0.1Lux/F1.2 (B&W)	3.6mm	No	Electronic	BLC	Internal	12VDC 2W Max.	\$98
DS-2CC572N-IMB (Vandal Resistant)	 Outdoor	1/3" Sony Super HAD CCD	Pan 355° Tilt 65°	540TVL	0.1Lux/F1.2 0Lux with IR IR: 30 Feet	3.6mm	No	Electronic	BLC	Internal	12VDC 3W Max.	\$200
DS-2CC592N-IR	 Outdoor	1/3" Sony Super HAD CCD	Pan 355° Tilt 75°	540TVL	0.1Lux/F1.2 0Lux with IR IR: 30 Feet	3.6mm	No	Electronic	BLC	Internal	12VDC 3W Max.	\$249
DS-2CC592N-IR3	 Outdoor	1/3" Sony Super HAD CCD	Pan 355° Tilt 75°	540TVL	0.1Lux/F1.2 0Lux with IR IR: 100 Feet	3.6mm	No	Electronic	BLC	Internal	12VDC 6W Max.	\$302
DS-2CC192N-IR	 Outdoor	1/3" Sony Super HAD CCD	3-AXIS	540TVL	0.1Lux/F1.2 0Lux with IR IR: 30 Feet	3.6mm	No	Electronic	BLC	Internal	12VDC 3W Max.	\$231
DS-2CC192N-IRT	 Outdoor	1/3" Sony CCD	—	540TVL	0.1Lux/F1.2 0Lux with IR IR: 100 Feet	5-15mm (Remote Control)	No	Electronic	BLC	Internal	12VDC/24VAC 13W Max.	\$644
DS-2CC192N-IR3	 Outdoor	1/3" Sony Super HAD CCD	—	540TVL	0.1Lux/F1.2 0Lux with IR IR: 100 Feet	3.6mm	No	Electronic	BLC	Internal	12VDC 6W Max.	\$302
DS-2CC1173N-VF	 Outdoor	1/3" Sony Super HAD CCD II	Universal Mount	560TVL	0.1Lux/F1.2 (Color) 0.01Lux/F1.2 (B&W)	2.8-12mm	Yes	ICR	BLC/DWDR	Internal / Power	12VDC/24VAC 4.5W Max.	\$480
DS-2CC1173N-VFIR	 Outdoor	1/3" Sony Super HAD CCD II	Universal Mount	560TVL	0.1Lux/F1.2 (Color) 0Lux with IR IR: 60-90 Feet	2.8-12mm	Yes	ICR	BLC/DWDR	Internal / Power	12VDC/24VAC 10W Max.	\$589

Network Speed Dome

Hikvision USA Price List January 13, 2012

Model	Optical Zoom	Image Sensor	Resolution	Min. Illumination	Video Comp.	Frame Rate	Pan & Tilt Speed	Lens	Day & Night - BLC/WDR - SD Card	Power	MSRP
DS-2DF1-572	18x  5" Outdoor	1/3" Sony Progressive Scan CCD	720P HD 1.3MP (1280x720)	0.5Lux/F1.6 (Color) 0.02Lux/F1.6 (B/W)	H.264	Up to 25fps	Pan:0.1-400°/s Tilt:0.1-240°/s	4.7-84.6mm	ICR/BLC/Yes	24VAC 30W Max. with Heater On	\$4,884
DS-2DF1-672	18x  6" Outdoor	1/3" Sony Progressive Scan CCD	720P HD 1.3MP (1280x720)	0.5Lux/F1.6 (Color) 0.02Lux/F1.6 (B/W)	H.264	Up to 25fps	Pan: 0.1~75°/s Tilt: 0.1-50°/s	4.7-84.6mm	ICR/BLC/Yes	24VAC/15W, 30W Max. with Heater On	\$4,884
DS-2DF1-613H	18x 	1/4" Sony EXview CCD	4CIF (704x480)	0.7Lux/F1.4 (Color) 0.01Lux/F1.4 (B&W)	H.264	Up to 30fps	Pan:0.1-300°/s Tilt:0.3-90°/s	41-73.8mm	ICR/BLC/Yes	24VAC 30W Max. with Heater On	\$4,213
DS-2DF1-617H-B	36x  6" Outdoor	1/4" Sony EXview CCD	4CIF (704x480)	1.4Lux/F1.6 (Color) 0.01Lux/F1.6 (B&W)	H.264	Up to 30fps	Pan:0.1-400°/s Tilt:0.1-240°/s	3.4-122.4mm	ICR/BLC/Yes /128X WDR/	24VAC 30W Max. with Heater On	\$5,329
DS-2DF1-401H	10x  4" Indoor	1/4" Sony Interline Transfer CCD	4CIF (704x480)	0.7Lux/F1.8 (Color) 0.02Lux/F1.8 (B&W)	H.264	Up to 30fps	Pan:0.1-300°/s Tilt:0.1-90°/s	3.8-38mm	ICR/BLC/Yes	12VDC/PoE, 12W Max.	\$2,396

Analog Speed Dome

Model	Image Sensor	Optical Zoom	Resolution	Min. Illumination	Lens	Day & Night	BLC / WDR	Pan & Tilt Speed	Power	MSRP
DS-2AF1-401X	1/4" Sony Interline Transfer CCD 4" Indoor	10x	500TVL (Color) 570TVL (B&W)	0.7Lux/F1.8 (Color) 0.02Lux/F1.8 (B&W)	3.8-38mm	ICR	BLC	Pan:0.1-300°/s Tilt:0.1-90°/s	12VDC 12W Max.	\$1,640
DS-2AF1-513	1/4" Sony Super Envied CCD	18x	480TVL (Color) 520TVL (B&W)	0.7Lux/F1.4 (Color) 0.01Lux/F1.4 (B&W)	4.1~73.8mm	ICR	BLC	Pan:0.1-400°/s Tilt:0.1-240°/s	24VAC/30W with Heater On	\$3,107
DS-2AF1-517-B	1/4" Sony Super Envied CCD 5" Outdoor	36x	540TVL (Color) 570TVL (B&W)	1.4Lux/F1.6 (Color) 0.01Lux/F1.6 (B&W)	3.4-122.4mm	ICR	BLC/ 128x WDR	Pan:0.1-400°/s Tilt:0.1-240°/s	24VAC/30W with Heater On	\$4,040

Network Video Recorder

Model	IP Video Input	Video Comp.	HDD	USB	HDMI/VGA Output	Alarm Input/Output	Power	MSRP
DS-9508NI-S	8-ch 4CIF IP 4-ch 720P@30fps 4-ch 2.0MP@15fps 2-ch 2.0MP@30fps 2-ch 5.0MP@8fps Maximum	H.264	Up to 8 SATA (2TB each)	2	No	16-ch / 4-ch	100-240V, 60Hz <20W (without HDD)	\$1,951
DS-9516NI-S	16-ch 4CIF IP 8-ch 720P@30fps 8-ch 2.0MP@15fps 4-ch 2.0MP@30fps 4-ch 5.0MP@8fps Maximum	H.264	Up to 8 SATA (2TB each)	2	No	16-ch / 4-ch	100-240V, 60Hz <20W (without HDD)	\$2,396
DS-9608NI-SH	8-ch 4CIF IP 4-ch 720P@30fps 4-ch 2.0MP@15fps 2-ch 2.0MP@30fps	H.264	Up to 8 SATA (2TB each)	2	1920x1080 (HDMI) 1280x1024 (VGA)	16-ch / 4-ch	100-240V, 60Hz <20W (without HDD)	\$4,129
DS-9616NI-SH	16-ch 4CIF IP 8-ch 720P@30fps 8-ch 2.0MP@15fps 4-ch 2.0MP@30fps *Optional DVD-R/RW	H.264	Up to 8 SATA (2TB each)	2	1920x1080 (HDMI) 1280x1024 (VGA)	16-ch / 4-ch	100-240V, 60Hz <20W (without HDD)	\$5,907

Digital Video Server




Model	Video In	Audio In/Out	Voice Talk Input	Encode/Decode Resolution	Dual Stream	Network Interface	RS-232 Port	RS-485	Power	MSRP
DS-6101HFI-IP-SD	1-ch	1-ch / 1-ch	1ch	Up to 4CIF@30fps	Yes	Yes	Yes	Yes	12VDC (<3W)	\$733

Digital Video Recorder




Model	Video Comp.	Video Input/Output	Audio Input/Output	Resolution	Frame Rate	VGA Resolution	HDD	USB Alarm Input / Output	Power	MSRP
DS-7204HVI-ST	H.264	4-ch / 2-ch	4-ch / 1-ch	4CIF 2CIF CIF	12fps 12fps 30fps	1024x768	1 SATA (2TB each)	2 4-ch / 1-ch	12VDC, 3A <18W (w HDD)	\$493
DS-7208HVI-ST	H.264	8-ch / 2-ch	4-ch / 1-ch	4CIF 2CIF CIF	8fps 8fps 30fps	1024x768	Up to 2 SATA (2TB each)	2 8-ch / 4-ch	12VDC, 3A <18W (w HDD)	\$867
DS-7216HVI-ST	H.264	16-ch / 2-ch	4-ch / 1-ch	4CIF 2CIF CIF	6fps 6fps 30fps	1024x768	Up to 2 SATA (2TB each)	2 16-ch / 4-ch	12VDC, 3A <18W (w HDD)	\$1,160

Hybrid DVR

Hikvision USA Price List January 13, 2012

Model	Video Input	Video Comp	Audio Input/Output	HDMI/VGA A Output	HDD	USB	Alarm Input/Output	Power	MSRP
DS-9008HFI-S	 8-ch Analog + 8-ch 4CIF IP 4-ch 720P @30fps 4-ch 2.0MP@15fps 16-ch Analog + 8-ch 4CIF IP 4-ch 720P @30fps 4-ch 2.0MP@15fps	H.264	H.265	H.266	H.267	H.268	H.269	H.270	\$3,996
DS-9016HFI-S		H.264	16-ch / 2-ch	1280x1024 (VGA)	Up to 8 SATA (2TB each)	3	16-ch / 4-ch	100-240V, 60Hz <50W (without HDD)	\$5,773
DS-9008HFI-SH	 8-ch Analog + 8-ch 4CIF IP 4-ch 720P @30fps 4-ch 2.0MP@15fps 2-ch 2.0MP@30fps 16-ch Analog + 8-ch 4CIF IP 4-ch 720P @30fps 4-ch 2.0MP@15fps 2-ch 2.0MP@30fps	H.264	8-ch / 2-ch	1920x1080 (HDMI) 1280x1024 (VGA)	Up to 8 SATA (2TB each)	3	16-ch / 4-ch	100-240V, 60Hz <50W	\$4,262
DS-9016HFI-SH		H.264	16-ch / 2-ch	1920x1080 (HDMI) 1280x1024 (VGA)	Up to 8 SATA (2TB each)	3	16-ch / 4-ch	100-240V, 60Hz <50W (without HDD)	\$5,773
DS-7604HI-S	 4-ch Analog + 2-ch 4CIF 1-ch 720P @30fps 1-ch 2.0MP@15fps With 4-ch Analog disabled -- 4-ch 4CIF 2-ch 720p @30fps 2-ch 2.0MP@15fps 1-ch 2.0MP@30fps 1-ch 5.0MP@8fps	H.264	1-ch / 1-ch	1024x768 (VGA)	Up to 1 SATA (2TB each)	2	4-ch / 1-ch	12VDC, <20w (without HDD)	\$1,062

Digital Video Recorder

Model	Video Comp.	Video Input/Output	Audio Input/Output	Resolution	Frame Rate	VGA Resolution	HDD	USB Alarm Input / Output	Power	MSRP
DS-9104HFI-S	 H.264	4-ch / 2-ch	4-ch / 2-ch	Up to 4CIF	Up to 30fps	1280x1024	Up to 8 SATA (2TB each)	3 16-ch / 4-ch	100-240V, 60 Hz <50W (w/o HDD)	\$2,289
DS-9108HFI-S		8-ch / 2-ch	8-ch / 2-ch	Up to 4CIF	Up to 30fps	1280x1024	Up to 8 SATA (2TB each)	3 16-ch / 4-ch	100-240V, 60 Hz <50W (w/o HDD)	\$2,676
DS-9116HFI-S		16-ch / 2-ch	16-ch / 2-ch	Up to 4CIF	Up to 30fps	1280x1024	Up to 8 SATA (2TB each)	3 16-ch / 4-ch	100-240V, 60 Hz <50W (w/o HDD)	\$3,960
DS-8104HDI-S	 H.264	4-ch / 2-ch	4-ch / 1-ch	4CIF 2CIF	Up to 8fps Up to 30fps	1024x768	Up to 4 SATA (2TB each)	3 4-ch / 2-ch	100-240V, 60 Hz <50W (w/o HDD)	\$1,507
DS-8108HDI-S		8-ch / 2-ch	8-ch / 1-ch	4CIF 2CIF	Up to 12fps Up to 30fps	1024x768	Up to 8 SATA (2TB each)	3 16-ch / 4-ch	100-240V, 60 Hz <50W (w/o HDD)	\$2,129
DS-8116HDI-S		16-ch / 2-ch	16-ch / 1-ch	4CIF 2CIF	Up to 12fps Up to 30fps	1024x768	Up to 8 SATA (2TB each)	3 16-ch / 4-ch	100-240V, 60 Hz <50W (w/o HDD)	\$2,707
DS-7304HI-S	 H.264 Loop-Out *Optional DVD-R/RW	4-ch / 2-ch	4-ch / 1-ch	4CIF 2CIF CIF	Up to 8fps Up to 16fps Up to 30fps	1024x768	Up to 4 SATA (2TB each)	2 16-ch / 4-ch	100-240V, 6.3A <40W (w/o HDD)	\$1,089
DS-7308HI-S		8-ch / 2-ch	4-ch / 1-ch	4CIF 2CIF CIF	Up to 8fps Up to 16fps Up to 30fps	1024x768	Up to 4 SATA (2TB each)	2 16-ch / 4-ch	100-240V, 6.3A <40W (w/o HDD)	\$1,453
DS-7316HI-S		16-ch / 2-ch	4-ch / 1-ch	4CIF 2CIF CIF	Up to 6fps Up to 12fps Up to 30fps	1024x768	Up to 4 SATA (2TB each)	2 16-ch / 4-ch	100-240V, 6.3A <40W (w/o HDD)	\$1,631

Speed Dome Bracket & Camera Mount

Hikvision USA Price List January 13, 2012

Type	Model	Description	Compatibility	MSRP
4" Speed Dome Brackets				
	DS-1616ZJ	4" Indoor Speed Dome Bracket, White, Wall Mount, Internal Cable Channel Size:347x100x192mm (13.6x4x7.5in)	DS-2AF1-401X, DS-2DF1-401H	\$84
	DS-1671ZJ	4" Indoor Ceiling Embedded Mount	DS-2AF1-401X, DS-2DF1-401H	\$51
	DS-1217ZJ	Wall mount bracket for Vandal Resistant Dome Cameras, Internal Cable Channel	DS-2CD752MF-FB, DS-2CD762MF-FB, DS-2CD752MF-IFB, DS-2CD762MF-IFB, DS2CD752MF-IFBH, DS-2CD762MF-IFBH	\$71
5" & 6" Speed Dome Brackets				
	DS-1614ZJ	Outdoor Speed Dome Bracket, White, Wall Mount, Internal Cable Channel Size:347x100x192mm (13.6x4x7.5in)		\$71
	DS-1633ZJ	Outdoor Speed Dome Bracket, White, Corner Mount, Internal Cable Channel Size:456x170x202mm (18x6.75x8in)		\$120
	DS-1651ZJ	Indoor Speed Dome Bracket, White, 30cm Pendant Mount, Internal Cable Channel Size:120x120x332mm (4.75x4.75x13in)		\$58
	DS-1652ZJ	Indoor Speed Dome Bracket, White, 50cm Pendant Mount, Internal Cable Channel Size:120x120x532mm (4.75x4.75x21in)		\$89
	DS-1622ZJ	Outdoor Speed Dome Bracket, White, Pole Mount, Internal Cable Channel Size:393x120x202mm (15.5x4.75x12in)		\$129
Camera Mounts				
	DS-1227ZJ	Flush Mounting Bracket suitable for Network Dome Cameras, White Color	DS-2CD783F-E, DS-2CD754F-E, DS-2CD754F-EI, DS-2CD754FWD-E, DS-2CD754FWD-EI, DS-2CD753F-E, DS-2CD753F-EI, DS-2CD763NF-E, DS-2CD763NF-EI, DS-2CD793NFW-E, DS-2CD793NFW-EI	\$67
	DS-1212ZJ (Prev. DS-1212ZJ-W)	Suitable for box camera, Wall Mount, White Color Size:170x95x63mm (6.75x3.75x2.5in)	All box camera models	\$36
	DS-1212ZJ-S (Prev. DS-1225ZJ)	Suitable for box camera, Wall Mount, Silver Color Size:170x95x63mm (6.75x3.75x2.5in)	All box camera models	\$36
	DS-1229ZJ	Indoor Wall mount, White, Internal Cable Channel Size: 125x100x182mm (9.88"x3.94"x7.17"), 580g (1.28 lbs.)	DS-2CC5173N-VP, DS-2CC5173N-VPIR, DS-2CC5173N-VPIR-H, DS-2CC5173N-VF, DS-2CD783F-E, DS-2CD754F-E, DS-2CD754F-EI, DS-2CD754FWD-E, DS-2CD754FWD-EI, DS-2CD753F-E, DS-2CD753F-EI, DS-2CD763NF-E, DS-2CD763NF-EI, DS-2CD793NFW-E, DS-2CD793NFW-EI	\$40
	DS-1234ZJ	Single Gang Electrical Box Adapter	DS-2CD7133-E, DS-2CD7153-E	\$9
	DS-1215ZJ	Pole mount adapter, White, Size: 194x117x100mm (7.64"x4.61"x3.94"), 1205g (2.66 lbs.)	DS-1212ZJ, DS-1212ZJ-S, DS1229ZJ	\$44
	DS-1244ZJ	Single Gang Electrical Box Adapter	DS-2CC5102N, DS-2CC5172N	\$4
	DS-1243ZJ	Outdoor Wall Mount, White, Internal Cable Channel Size: 364x156x182mm (14.33"x7.32"x7.17")	DS-2CC5173N-VP, DS-2CC5173N-VPIR, DS-2CC5173N-VPIR-H	\$147
Power Supply				
	BSW0127-1210002	DC12V/1.25A Power Supply, Jack Connector		\$27
	BSW0127-1210002	DC12V/1.25A Power Supply, Flying Leads		\$27
	TEAC-66-242300U	24V/5.5A Power Supply, Flying Leads		\$89

Lens

Model	Description	MSRP
Analog and IP (4CIF/VGA) Lenses		
TF0216	1/3" Image Size, Iris:Fixed, Focal length:2.1mm, Aperture:1.6, Mount:CS	\$44
TF0412-IR	1/3" Image Size,IR, Iris:Fixed, Focal length:4mm, Aperture:1.2, Mount:CS	\$27
TV2713D-IR	1/3" Image Size,IR, Iris:Auto Iris, Focal length:2.7-13mm, Aperture:1.3, Mount:CS	\$151
FY28V8AW	1/3" Image Size, Iris:Auto Iris, Focal length:2.8-8mm, Aperture:0.95, Mount:CS	\$169
TV0550D-IR	1/3" Image Size,IR, Iris:Auto Iris, Focal length:5-50mm, Aperture:1.4, Mount:CS	\$178
Megapixel Manual Iris Lenses		
HV4510M-MPIR	1/2" Image Size,IR, Iris:Manual, Focal length:4.5-10mm, Aperture:1.6, Mount:CS	\$231
TV0515M-MPIR	1/3" Image Size,IR, Iris:Manual, Focal length:5-15mm, Aperture:1.4, Mount:CS	\$53
Megapixel Auto Iris Lenses		
YV4.3*2.8SA-SAWL	1/3" Image Size, Iris:Auto Iris, Focal length:2.8-12mm, Aperture:1.4, Mount:CS	\$556
HV4510D-MPIR	1/2" Image Size,IR, Iris:Auto Iris, Focal length:4.5-10mm, Aperture:1.6, Mount:CS	\$276
TV0515D-MPIR	1/3" Image Size,IR, Iris:Auto Iris, Focal length:5-15mm, Aperture:1.4, Mount:CS	\$71
YV3.3*15SA-SAWL	1/3" Image Size, Iris:Auto Iris, Focal length:15-50mm, Aperture:1.5, Mount:CS	\$751

** Due to volatile changes in recent HDD Prices, the price will be subject to change without any notice.